

## Homework Assignment #3

**Note**

This assignment is due 2:10PM Tuesday, March 27, 2018. Please write or type your answers on A4 (or similar size) paper. Drop your homework by the due time in Yih-Kuen Tsay's mail box on the first floor of Management College Building 2. Late submission will be penalized by 20% for each working day overdue. You may discuss the problems with others, but copying answers is strictly forbidden.

**Problems**

There are five problems in this assignment, each accounting for 20 points. (Note: problems marked with "(X.XX)" are taken from [Manber 1989] with probable adaptation.)

1. Consider the following algorithm for computing the square of a given non-negative integer.

```

Algorithm mySquare( $n$ );
begin
  // assume that  $n \geq 0$ 
   $x := n$ ;
   $y := 0$ ;
  while  $x > 0$  do
     $y := y + 2x - 1$ ;
     $x := x - 1$ ;
  od
  ...
end

```

Let  $Inv(n, x, y)$  denote the assertion:

$$x \geq 0 \wedge y \geq 0 \wedge y = n^2 - x^2.$$

Claim:  $Inv(n, x, y)$  is a loop invariant of the while loop, assuming that  $n \geq 0$ .

Prove the claim by induction. What does the loop invariant implicate when the while loop terminates?

2. (3.5) For each of the following pairs of functions, say whether  $f(n) = O(g(n))$  and/or  $f(n) = \Omega(g(n))$ . Justify your answers.

	$f(n)$	$g(n)$
(a)	$\frac{n^2}{\log n}$	$n(\log n)^2$
(b)	$n^3 2^n$	$3^n$

3. (3.12) Solve the following recurrence relation:

$$\begin{cases} T(1) = 1 \\ T(n) = n + \sum_{i=1}^{n-1} T(i), & n \geq 2 \end{cases}$$

4. Solve the following recurrence relation using *generating functions*. This is a very simple recurrence relation, but for the purpose of practicing you must use generating functions in your solution.

$$\begin{cases} T(1) = 1 \\ T(2) = 2 \\ T(n) = 2T(n-1) - T(n-2), \quad n \geq 3 \end{cases}$$

5. (3.30) Use Equation 1, shown below, to prove that  $S(n) = \sum_{i=1}^n \lceil \log_2(n/i) \rceil$  satisfies  $S(n) = O(n)$ .

**Bounding a summation by an integral**

If  $f(x)$  is a monotonically increasing continuous function, then

$$\sum_{i=1}^n f(i) \leq \int_{x=1}^{x=n+1} f(x) dx. \tag{1}$$