

# Algorithms 2019: Dynamic Programming

(Based on [Cormen *et al.* 2009])

Yih-Kuen Tsay

December 9, 2019

## 1 Design Methods

### Design Methods

- Greedy

/\* A greedy algorithm starts with an initial solution set and then attempts to expand the solution step by step until its completion. In each step, one element is added to the solution by making the locally optimal choice (the choice is “local” as seen from the current solution). \*/

– Huffman’s encoding algorithm, Dijkstra’s algorithm, Prim’s algorithm, etc.

- Divide-and-Conquer

– Binary search, merge sort, quick sort, etc.

- **Dynamic Programming**

- Branch-and-Bound

- ...

## 2 Dynamic Programming

### Principles of Dynamic Programming

- Property of Optimal Substructure (Principle of Optimality):

*An optimal solution to a problem contains optimal solutions to its subproblems.*

- A particular subproblem or subsubproblem typically recurs while one tries different decompositions of the original problem.
- To reduce running time, optimal solutions to subproblems are computed only once and stored (in an array) for subsequent uses.

### Development by Dynamic Programming

1. Characterize the structure of an optimal solution.
2. Recursively define the value of an optimal solution.
3. Compute the value of an optimal solution in a bottom-up fashion.
4. Construct an optimal solution from computed information.

### 3 Matrix-Chain Multiplication

#### Matrix-Chain Multiplication

**Problem 1.** Given a chain  $A_1, A_2, \dots, A_n$  of matrices where  $A_i$ ,  $1 \leq i \leq n$ , has dimension  $p_{i-1} \times p_i$ , fully parenthesize (i.e., find a way to evaluate) the product  $A_1 A_2 \dots A_n$  such that the number of scalar multiplications is minimum.

/\* Different orders in evaluating the product may require different numbers of scalar multiplications. Consider three matrices  $A_1$ ,  $A_2$ , and  $A_3$  with dimensions  $10 \times 20$ ,  $20 \times 30$ , and  $30 \times 10$  respectively. There are two ways to evaluate  $A_1 A_2 A_3$ :

1.  $(A_1 A_2) A_3$ :  $10 \times 20 \times 30 + 10 \times 30 \times 10 = 9000$  scalar multiplications.
2.  $A_1 (A_2 A_3)$ :  $20 \times 30 \times 10 + 10 \times 20 \times 10 = 8000$  scalar multiplications.

\*/

- Why is dynamic programming a feasible approach?
- To evaluate  $A_1 A_2 \dots A_n$ , one first has to evaluate  $A_1 A_2 \dots A_k$  and  $A_{k+1} A_{k+2} \dots A_n$  for some  $k$  and then multiply the two resulting matrices.
- An optimal way for evaluating  $A_1 A_2 \dots A_n$  must contain optimal ways for evaluating  $A_1 A_2 \dots A_k$  and  $A_{k+1} A_{k+2} \dots A_n$  for some  $k$ .

#### Matrix-Chain Multiplication (cont.)

Let  $m[i, j]$  be the minimum number of scalar multiplications needed to compute  $A_i A_{i+1} \dots A_j$ , where  $1 \leq i \leq j \leq n$ .

$$m[i, j] = \begin{cases} 0 & \text{if } i = j \\ \min_{i \leq k < j} \{m[i, k] + m[k + 1, j] + p_{i-1} p_k p_j\} & \text{if } i < j \end{cases}$$

#### Matrix-Chain Multiplication (cont.)

**Algorithm** Matrix\_Chain\_Order( $n, p$ );

**begin**

**for**  $i := 1$  to  $n$  **do**

$m[i, i] := 0$ ;

**for**  $l := 2$  to  $n$  **do** {  $l$  is the chain length }

**for**  $i := 1$  to  $(n - l + 1)$  **do**

$j := i + l - 1$ ;

$m[i, j] := \infty$ ;

**for**  $k := i$  to  $(j - 1)$  **do**

**if**  $m[i, k] + m[k + 1, j] + p[i - 1] p[k] p[j] < m[i, j]$  **then**

$m[i, j] := m[i, k] + m[k + 1, j] + p[i - 1] p[k] p[j]$

**end**

## Recursive Implementation

**Algorithm** `Recursive_Matrix_Chain(p, i, j)`;

**begin**

**if**  $i = j$  **then return** 0;

$m[i, j] := \infty$ ;

**for**  $k := i$  **to**  $(j - 1)$  **do**

$q := \text{Recursive\_Matrix\_Chain}(p, i, k) +$

$\text{Recursive\_Matrix\_Chain}(p, k + 1, j) + p[i - 1]p[k]p[j]$ ;

**if**  $q < m[i, j]$  **then**

$m[i, j] := q$ ;

**return**  $m[i, j]$

**end**

## Recursive Implementation (cont.)




Figure: The recursion tree for the computation of `Recursive_Matrix_Chain(p, 1, 4)`. The computations performed in a shaded subtree are replaced by a table lookup.

Source: redrawn from [Cormen *et al.* 2006, Figure 15.5].

## Recursion with Memoization

**Algorithm** `Memoized_Matrix_Chain(n, p)`;

**begin**

**for**  $i := 1$  **to**  $n$  **do**

**for**  $j := i$  **to**  $n$  **do**

$m[i, j] := \infty$ ;

**return** `Lookup_Matrix_Chain(p, i, n)`

**end**

## Recursion with Memoization (cont.)

**Function** `Lookup_Matrix_Chain(p, i, j)`;

**begin**

**if**  $m[i, j] < \infty$  **then return**  $m[i, j]$ ;

**if**  $i = j$  **then**

$m[i, j] := 0$ ;

**else**

**for**  $k := i$  **to**  $(j - 1)$  **do**

$q := \text{Lookup\_Matrix\_Chain}(p, i, k) +$

```

        Lookup_Matrix_Chain(p, k + 1, j) + p[i - 1]p[k]p[j];
    if q < m[i, j] then
        m[i, j] := q;
    return m[i, j]
end

```

## 4 Single-Source Shortest Paths

### Single-Source Shortest Paths

**Problem 2.** Given a weighted directed graph  $G = (V, E)$  with no negative-weight cycles and a vertex  $v$ , find (the lengths of) the shortest paths from  $v$  to all other vertices.

- Notice that edges with negative weights are permitted; so, Dijkstra's algorithm does not work here.
- A shortest path from  $v$  to any other vertex  $u$  contains at most  $n - 1$  edges.
- A shortest path from  $v$  to  $u$  with at most  $k$  ( $> 1$ ) edges must be composed of a shortest path from  $v$  to  $u'$  with at most  $k - 1$  edges and the edge from  $u'$  to  $u$ , for some  $u'$ .

### Single-Source Shortest Paths (cont.)

Denote by  $D^l(u)$  the length of a shortest path from  $v$  to  $u$  containing at most  $l$  edges; particularly,  $D^{n-1}(u)$  is the length of a shortest path from  $v$  to  $u$  (with no restrictions).

$$D^1(u) = \begin{cases} \text{length}(v, u) & \text{if } (v, u) \in E \\ 0 & \text{if } u = v \\ \infty & \text{otherwise} \end{cases}$$

$$D^l(u) = \min\{D^{l-1}(u), \min_{(u', u) \in E} \{D^{l-1}(u') + \text{length}(u', u)\}\}, \\ 2 \leq l \leq n - 1$$

### Single-Source Shortest Paths (cont.)

**Algorithm Single\_Source\_Shortest\_Paths**(length);

```

begin
    D[v] := 0;
    for all u ≠ v do
        if (v, u) ∈ E then
            D[u] := length(v, u)
        else D[u] := ∞;
    for k := 2 to n - 1 do
        for all u ≠ v do
            for all u' such (u', u) ∈ E do
                if D[u'] + length[u', u] < D[u] then
                    D[u] := D[u'] + length[u', u]
            end
        end
    end
end

```

## 5 All-Pairs Shortest Paths

### All-Pairs Shortest Paths

**Problem 3.** Given a weighted directed graph  $G = (V, E)$  with no negative-weight cycles, find (the lengths of) the shortest paths between all pairs of vertices.

- Consider a shortest path from  $v_i$  to  $v_j$  and an arbitrary intermediate vertex  $v_k$  (if any) on this path.
- The subpath from  $v_i$  to  $v_k$  must also be a shortest path from  $v_i$  to  $v_k$ ; analogously for the subpath from  $v_k$  to  $v_j$ .

### All-Pairs Shortest Paths (cont.)

Index the vertices from 1 through  $n$ .

Denote by  $W^k(i, j)$  the length of a shortest path from  $v_i$  to  $v_j$  going through no vertex of index greater than  $k$ , where  $1 \leq i, j \leq n$  and  $0 \leq k \leq n$ ; particularly,  $W^n(i, j)$  is the length of a shortest path from  $v_i$  to  $v_j$ .

$$W^0(i, j) = \begin{cases} \text{length}(i, j) & \text{if } (i, j) \in E \\ 0 & \text{if } i = j \\ \infty & \text{otherwise} \end{cases}$$

$$W^k(i, j) = \min\{W^{k-1}(i, j), W^{k-1}(i, k) + W^{k-1}(k, j)\}, 1 \leq k \leq n$$

### All-Pairs Shortest Paths (cont.)

**Algorithm All\_Pairs\_Shortest\_Paths(*length*);**

**begin**

```
  for  $i := 1$  to  $n$  do
    for  $j := 1$  to  $n$  do
      if  $(i, j) \in E$  then  $W[i, j] := \text{length}(i, j)$ 
      else  $W[i, j] := \infty$ ;
    for  $i := 1$  to  $n$  do  $W[i, i] := 0$ ;
  for  $k := 1$  to  $n$  do
    for  $i := 1$  to  $n$  do
      for  $j := 1$  to  $n$  do
        if  $W[i, k] + W[k, j] < W[i, j]$  then
           $W[i, j] := W[i, k] + W[k, j]$ 
```

**end**