

Algorithms 2024: Design by Induction

(Based on [Manber 1989])

Yih-Kuen Tsay

October 2, 2024

1 Introduction

Introduction

- It is not necessary to design the steps required to solve a problem from scratch.
- It is sufficient to guarantee the following:
 1. It is possible to solve one small instance or a few small instances of the problem. (base case)
 2. A solution to every problem/instance can be constructed from solutions to smaller problems/instances. (inductive step)

2 Evaluating Polynomials

Evaluating Polynomials

Problem 1. *Given a sequence of real numbers $a_n, a_{n-1}, \dots, a_1, a_0$, and a real number x , compute the value of the polynomial*

$$P_n(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0.$$

Motivation: different approaches to the inductive step may result in algorithms of very different time complexities.

Evaluating Polynomials (cont.)

- Let $P_{n-1}(x) = a_{n-1} x^{n-1} + \dots + a_1 x + a_0$.
- **Induction hypothesis** (first attempt)

We know how to evaluate a polynomial represented by the input a_{n-1}, \dots, a_1, a_0 , at the point x , i.e., we know how to compute $P_{n-1}(x)$.
- $P_n(x) = a_n x^n + P_{n-1}(x)$.
- Number of multiplications:

$$n + (n-1) + \dots + 2 + 1 = \frac{n(n+1)}{2}.$$

Evaluating Polynomials (cont.)

- **Induction hypothesis** (second attempt)

We know how to compute $P_{n-1}(x)$, and we know how to compute x^{n-1} .

- $P_n(x) = a_n x(x^{n-1}) + P_{n-1}(x)$.
- Number of multiplications: $2(n-1) + 1 = 2n - 1$.

$$\overbrace{a_n x(x^{n-1}) + a_{n-1} x(x^{n-2}) + \cdots + a_2 x(x^1)}^{2(n-1) \text{ multiplications}} + \underbrace{a_1 x + a_0}_{1 \text{ multiplication}}$$

Evaluating Polynomials (cont.)

- Let $P'_{n-1}(x) = a_n x^{n-1} + a_{n-1} x^{n-2} + \cdots + a_1$.

- **Induction hypothesis** (final attempt)

We know how to evaluate a polynomial represented by the coefficients a_n, a_{n-1}, \dots, a_1 , at the point x , i.e., we know how to compute $P'_{n-1}(x)$.

- $P_n(x) = P'_n(x) = P'_{n-1}(x) \cdot x + a_0$.

Evaluating Polynomials (cont.)

- More generally,

$$\begin{cases} P'_0(x) = a_n \\ P'_i(x) = P'_{i-1}(x) \cdot x + a_{n-i}, \text{ for } 1 \leq i \leq n \end{cases}$$

- Number of multiplications: n .

Evaluating Polynomials (cont.)

Algorithm Polynomial_Evaluation (\bar{a}, x);

begin

$P := a_n$;

for $i := 1$ **to** n **do**

$P := x * P + a_{n-i}$

end

This algorithm is known as *Horner's rule*.


3 Maximal Induced Subgraph

Maximal Induced Subgraph


Problem 2. Given an undirected graph $G = (V, E)$ and an integer k , find an induced subgraph $H = (U, F)$ of G of maximum size such that all vertices of H have degree $\geq k$ (in H), or conclude that no such induced subgraph exists.

Design Idea: in the inductive step, we try to remove one vertex (that cannot possibly be part of the solution) to get a smaller instance.

Maximal Induced Subgraph (cont.)



A graph G of eight nodes.



Maximal induced subgraph of G when $k = 4$.

Maximal Induced Subgraph (cont.)

- Recursive:

Algorithm `Max_Ind_Subgraph` (G, k);

begin

if the degree of every vertex of $G \geq k$ **then**

`Max_Ind_Subgraph` := G ;

else let v be a vertex of G with degree $< k$;

`Max_Ind_Subgraph` := `Max_Ind_Subgraph`($G - v, k$);

end

/* $G - v$ denotes the graph obtained from G by removing vertex v and every edge incident to v . */

- Iterative:

Algorithm `Max_Ind_Subgraph` (G, k);

begin

while the degree of some vertex v of $G < k$ **do**

$G := G - v$;

`Max_Ind_Subgraph` := G ;

end

4 One-to-One Mapping


One-to-One Mapping

Problem 3. Given a finite set A and a mapping f from A to itself, find a subset $S \subseteq A$ with the maximum number of elements, such that (1) the function f maps every element of S to another element of S (i.e., f maps S into itself), and (2) no two elements of S are mapped to the same element (i.e., f is one-to-one when restricted to S).


Design Idea: similar to the previous problem; in the inductive step, we try to remove one element (that cannot possibly be part of the solution) to get a smaller instance.

An element that is not mapped to may be removed.

One-to-One Mapping (cont.)



A given set A and a mapping to itself.



The maximal selected subset S and the remaining 1-to-1 mapping.

One-to-One Mapping (cont.)

Algorithm Mapping (f, n);

begin

$S := A$;

 for $j := 1$ to n do $c[j] := 0$;

 for $j := 1$ to n do increment $c[f[j]]$;

 for $j := 1$ to n do

 if $c[j] = 0$ then put j in Queue;

 while Queue not empty do

 remove i from the top of Queue;

$S := S - \{i\}$;

 decrement $c[f[i]]$;

 if $c[f[i]] = 0$ then put $f[i]$ in Queue

end

/* The value of $c[i]$ indicates the number of elements that are mapped to element i . Once $c[i]$ becomes 0 (due to removals of elements), element i should be removed and the value of $c[f[i]]$ decremented by 1 ($f[i]$ is the element that i is mapped to). */

5 Celebrity

Celebrity

Problem 4. Given an $n \times n$ adjacency matrix, determine whether there exists an i (the “celebrity”) such that all the entries in the i -th column (except for the ii -th entry) are 1, and all the entries in the i -th row (except for the ii -th entry) are 0.

/* In an adjacency matrix representing a directed graph, a 1 in the i -th row and the j -th column indicates that there is a directed edge from node i to node j (or i knows j), and a 0 indicates otherwise. */

Note: A celebrity corresponds to a sink of the directed graph.


Note: Every directed graph has at most one sink.

/* Proof by contradiction. */


Motivation: the trivial solution has a time complexity of $O(n^2)$. Can we do better, in $O(n)$?

To achieve $O(n)$ time, we must reduce the problem size by at least one in constant time.

Celebrity (cont.)



A graph of six nodes
with a sink (node 4).



A graph of six nodes
without a sink.

Celebrity (cont.)

Basic idea: check whether i knows j .

In either case, one of the two may be eliminated.

/* If i knows j , then i is not a celebrity. If i does not know j , then j is not a celebrity. */

The $O(n)$ algorithm proceeds in two stages:

- Eliminate a node every round until only one is left.

/* The node that remains is not necessarily a celebrity, as we have not checked whether it knows any previously deleted node or the other way around. */

- Check whether the remaining one is truly a celebrity.

Celebrity (cont.)

Algorithm Celebrity (*Know*);

begin

$i := 1$;

$j := 2$;

$next := 3$;

while $next \leq n + 1$ **do**

if $Know[i, j]$ **then** $i := next$

else $j := next$;

$next := next + 1$;

if $i = n + 1$ **then** $candidate := j$

else $candidate := i$;

Celebrity (cont.)

```
wrong := false;
k := 1;
Know[candidate, candidate] := false;
while not wrong and k ≤ n do
    if Know[candidate, k] then wrong := true;
    if not Know[k, candidate] then
        if candidate ≠ k then wrong := true;
        k := k + 1;
    if not wrong then celebrity := candidate
    else celebrity := 0;
end
```

6 The Skyline Problem

The Skyline Problem

Problem 5. *Given the exact locations and shapes of several rectangular buildings in a city, draw the skyline (in two dimension) of these buildings, eliminating hidden lines.*

Motivation: different approaches to the inductive step may result in algorithms of very different time complexities.

Compare: adding buildings one by one to an existing skyline **vs.** merging two skylines of about the same size

The Skyline Problem

- Adding one building at a time:

$$\begin{cases} T(1) = O(1) \\ T(n) = T(n-1) + O(n), n \geq 2 \end{cases}$$

Time complexity: $O(n^2)$.

$$\begin{array}{l} /* \ T(n) = T(n-1) + O(n) = (T(n-2) + O(n-1)) + O(n) = \dots = O(1) + O(2) + \dots + O(n) = O(n^2). \\ */ \end{array}$$

- Merging two skylines every round:


$$\begin{cases} T(1) = O(1) \\ T(n) = 2T(\frac{n}{2}) + O(n), n \geq 2 \end{cases}$$

Time complexity: $O(n \log n)$.

/ Apply the master theorem. Here, $a = 2$, $b = 2$, $k = 1$, and $b^k = 2 = a$. */*

Representation of a Skyline


Input: (1,11,5), (2,6,7), (3,13,9), (12,7,16), (14,3,25), (19,18,22), (23,13,29), and (24,4,28).



Source: adapted from [Manber 1989, Figure 5.5(a)].

Representation of a Skyline (cont.)


Representation: $(1, 11, 3, 13, 9, 0, 12, 7, 16, 3, 19, 18, 22, 3, 23, 13, 29)$.



Source: adapted from [Manber 1989, Figure 5.5(b)].

Adding a Building


- Add $(5, 9, 26)$ to $(1, 11, 3, 13, 9, 0, 12, 7, 16, 3, 19, 18, 22, 3, 23, 13, 29)$.



Source: adapted from [Manber 1989, Figure 5.6].

- The skyline becomes $(1, 11, 3, 13, 9, 9, 19, 18, 22, 9, 23, 13, 29)$.

Merging Two Skylines



Source: adapted from [Manber 1989, Figure 5.7].

/* See the appendix at the end of these notes for details. */

7 Balance Factors in Binary Trees

Balance Factors in Binary Trees

Problem 6. *Given a binary tree T with n nodes, compute the balance factors of all nodes.*

The balance factor of a node is defined as the difference between the height of the node's left subtree and the height of the node's right subtree.

Motivation: an example of why we must strengthen the hypothesis (and hence the problem to be solved).

Balance Factors in Binary Trees (cont.)




Figure: A binary tree. The numbers represent h/b , where h is the height and b is the balance factor.

Source: redrawn from [Manber 1989, Figure 5.8].

Balance Factors in Binary Trees (cont.)

- **Induction hypothesis**

We know how to compute balance factors of all nodes in trees that have $< n$ nodes.

- **Stronger induction hypothesis**

We know how to compute balance factors and heights of all nodes in trees that have $< n$ nodes.

8 Maximum Consecutive Subsequence

Maximum Consecutive Subsequence

Problem 7. *Given a sequence x_1, x_2, \dots, x_n of real numbers (not necessarily positive), find a subsequence x_i, x_{i+1}, \dots, x_j (of consecutive elements) such that the sum of the numbers in it is maximum over all subsequences of consecutive elements.*

Example: In the sequence $(2, -3, 1.5, -1, 3, -2, -3, 3)$, the maximum subsequence is $(1.5, -1, 3)$.

Motivation: another example of strengthening the hypothesis.

Maximum Consecutive Subsequence (cont.)

- **Induction hypothesis**

We know how to find the maximum subsequence in sequences of size $< n$.

- **Stronger induction hypothesis**

We know how to find, in sequences of size $< n$, the maximum subsequence overall and the maximum subsequence that is a suffix.

Reasoning: the maximum subsequence of problem size n is obtained either

- directly from the maximum subsequence of problem size $n - 1$ or
- from appending the n -th element to the maximum suffix of problem size $n - 1$.

Maximum Consecutive Subsequence (cont.)

Algorithm Max-Consec-Subseq (X, n);

begin

$Global_Max := 0$;

$Suffix_Max := 0$;

for $i := 1$ **to** n **do**

if $x[i] + Suffix_Max > Global_Max$ **then**

$Suffix_Max := Suffix_Max + x[i]$;

$Global_Max := Suffix_Max$

else if $x[i] + Suffix_Max > 0$ **then**

$Suffix_Max := Suffix_Max + x[i]$

else $Suffix_Max := 0$

end

9 The Knapsack Problem

The Knapsack Problem

Problem 8. Given an integer K and n items of different sizes such that the i -th item has an integer size k_i , find a subset of the items whose sizes sum to exactly K , or determine that no such subset exists.

Design Idea: use strong induction so that solutions to all smaller instances may be used.

The Knapsack Problem (cont.)

- Let $P(n, K)$ denote the problem where n is the number of items and K is the size of the knapsack.

- **Induction hypothesis**

We know how to solve $P(n - 1, K)$.

- **Stronger induction hypothesis**

We know how to solve $P(n - 1, k)$, for all $0 \leq k \leq K$.

Reasoning: $P(n, K)$ has a solution if either

- $P(n - 1, K)$ has a solution or
- $P(n - 1, K - k_n)$ does, provided $K - k_n \geq 0$.

The Knapsack Problem (cont.)

An example of the table constructed for the knapsack problem:

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
$k_1 = 2$	O	-	I	-	-	-	-	-	-	-	-	-	-	-	-	-	-
$k_2 = 3$	O	-	O	I	-	I	-	-	-	-	-	-	-	-	-	-	-
$k_3 = 5$	O	-	O	O	-	O	-	I	I	-	I	-	-	-	-	-	-
$k_4 = 6$	O	-	O	O	-	O	I	O	O	I	O	I	-	I	I	-	I

“I”: a solution containing this item has been found.

“O”: a solution without this item has been found.

“-”: no solution has yet been found.

Source: adapted from [Manber 1989, Figure 5.11].

The Knapsack Problem (cont.)

Algorithm Knapsack (S, K);

```

 $P[0, 0].exist := true;$ 
for  $k := 1$  to  $K$  do
     $P[0, k].exist := false;$ 
for  $i := 1$  to  $n$  do
    for  $k := 0$  to  $K$  do
         $P[i, k].exist := false;$ 
        if  $P[i - 1, k].exist$  then
             $P[i, k].exist := true;$ 
             $P[i, k].belong := false$ 
        else if  $k - S[i] \geq 0$  then
            if  $P[i - 1, k - S[i]].exist$  then
                 $P[i, k].exist := true;$ 
                 $P[i, k].belong := true$ 

```

/*

Appendix:

Below is a linear-time procedure that prints out the resulting skyline from merging two given skylines. A skyline is an alternating sequence of x coordinates and y coordinates (heights), ending with an x coordinate. In the following, the sequence of coordinates of the first skyline are stored in an array A , with $A[0]$ storing the first x coordinate, $A[1]$ the first y coordinate, $A[2]$ the second x coordinate, and so on, with the last entry $A[m]$ storing the final x coordinate; analogously for the second skyline.

```
merge_skylines(A, m, B, n)
// assume m, n ≥ 2.
begin
  if A[0] < B[0] then
    print A[0], A[1];
    merge_a(A[1], 0, A[2..m], m-2, B, n)
  else
    if A[0] > B[0] then
      print B[0], B[1];
      merge_b(0, B[1], A, m, B[2..n], n-2)
    else // A[0] = B[0]
      if A[1] < B[1] then
        print B[0], B[1];
        merge_b(A[1], B[1], A[2..m], m-2, B[2..n], n-2)
      else // A[1] > B[1] or A[1] = B[1] (given A[0] = B[0])
        print A[0], A[1];
        merge_a(A[1], B[1], A[2..m], m-2, B[2..n], n-2)
      end if
    end if
  end if
end

merge_a(ya, yb, A, m, B, n);
// ya, yb are the previous y coordinates of A and B, respectively.
// ya ≥ yb.
begin
  if m = 0 and n = 0 then
    if A[0] < B[0] then
      print A[0], yb, B[0]
    else
      print A[0]
    end if;
    return
  end if;
  if m = 0 then
    if A[0] < B[0] then
      print A[0], yb, each entry of B
    else
      if ya ≥ B[1] then
        merge_a(ya, B[1], A, m, B[2..n], n-2)
      else
        print B[0], B[1];
        merge_b(ya, B[1], A, m, B[2..n], n-2)
      end if;
    end if;
  end if;
```

```

        return
    end if;
if n = 0 then
    if A[0] < B[0] then
        if A[1] < yb then
            print A[0], yb;
            merge_b(A[1], yb, A[2..m], m-2, B, n)
        else
            print A[0], A[1];
            merge_a(A[1], yb, A[2..m], m-2, B, n)
        end if
    else // A[0] ≥ B[0]
        print each entry of A
    end if;
    return
end if;
// m, n ≥ 2
if A[0] < B[0] then
    if A[1] > yb then
        print A[0], A[1];
        merge_a(A[1], yb, A[2..m], m-2, B, n)
    else
        print A[0], yb;
        merge_b(A[1], yb, A[2..m], m-2, B, n)
    end if
else
    if A[0] > B[0] then
        if B[1] > ya then
            print B[0], B[1];
            merge_b(ya, B[1], A, m, B[2..n], n-2)
        else
            merge_a(ya, B[1], A, m, B[2..n], n-2)
        end if
    else // A[0] = B[0]
        if A[1] < B[1] then
            if B[1] ≠ ya then
                print B[0], B[1];
            end if;
            merge_b(A[1], B[1], A[2..m], m-2, B[2..n], n-2)
        else // A[1] > B[1] or A[1] = B[1] (given A[0] = B[0])
            print A[0], A[1];
            merge_a(A[1], B[1], A[2..m], m-2, B[2..n], n-2)
        end if
    end if
end if
end

merge_b(ya, yb, A, m, B, n);
// ya, yb are the previous y coordinates of A and B, respectively.
// ya < yb.
// analogous to merge_a.
*/

```