

Minimization of DFAs

(Based on [Sipser 2013] and [Wikipedia])

Yih-Kuen Tsay

Department of Information Management
National Taiwan University

Distinguishable and Indistinguishable Strings

- Let L be a language over Σ (i.e., $L \subseteq \Sigma^*$).
- Two strings x and y in Σ^* are **distinguishable by L** if for some string z in Σ^* , exactly one of xz and yz is in L .
- When no such z exists, i.e., for every z in Σ^* , either both of xz and yz or neither of them are in L , we say that x and y are **indistinguishable by L** .
- Indistinguishable strings can be regarded as essentially equivalent.

Note: these concepts apply to all languages, not just the regular ones.

Myhill-Nerode Theorem

- 🌐 Given a language $L \subseteq \Sigma^*$, define a binary relation R_L over Σ^* as follows:

$$xR_L y \text{ iff } \forall z \in \Sigma^* (xz \in L \leftrightarrow yz \in L)$$

- 🌐 R_L can be shown to be an equivalence relation.

Theorem (Myhill-Nerode)

With R_L defined as above, the following are equivalent:

- 1. L is regular.*
- 2. R_L is of finite index.*

Moreover, the index of R_L equals the number of states in the smallest DFA that recognizes L .

Note: the *index* of an equivalence relation is the number of equivalence classes it induces.

Minimization of DFAs

- 🌐 A DFA $(Q, \Sigma, \delta, q_0, F)$ for L defines an equivalence relation on Σ^* that is a *refinement* of R_L .
- 🌐 Let $L_q = \{x \in \Sigma^* \mid \delta(q_0, x) = q\}$. Then,
 - ☀️ for distinct $q, q' \in Q$, $L_q \cap L_{q'} = \emptyset$, and
 - ☀️ for every $q \in Q$, L_q is contained in an equivalence class of R_L .
- 🌐 Given a DFA that is not minimum for its language, there must be two distinct states q and q' such that both L_q and $L_{q'}$ are contained in the same equivalence class of R_L and hence may be merged (without affecting the language recognized).

Minimization of DFAs (cont.)

- 🌐 On the opposite, there are states that must remain separate.
- 🌐 Apparently, for $q \in F$ and $q' \in Q \setminus F$, L_q and $L_{q'}$ are in different equivalence classes of R_L and hence q and q' must remain separate.
- 🌐 For any two states, if they can make a transition on the same symbol to two different states that should remain separate, then they should also remain separate; this should be checked repeatedly.
- 🌐 To minimize a DFA, we may start with the partition $\{F, Q \setminus F\}$ and refine the partition by iteratively checking whether two states in the same block should be separated.

Hopcroft's Minimization Algorithm

Algorithm Minimization(Q, Σ, δ, F);

begin

$P := \{F, Q \setminus F\}; \quad W := \{F\};$

while W not empty **do**

 remove a set A from W ;

for each $c \in \Sigma$ **do**

$X := \{q \mid \delta(q, c) \in A\};$

for each $Y \in P$ s.t. both $X \cap Y$ and $Y \setminus X$ not empty **do**

 replace Y in P by $X \cap Y$ and $Y \setminus X$;

if $Y \in W$ **then**

 replace Y in W by $X \cap Y$ and $Y \setminus X$

else if $|X \cap Y| \leq |Y \setminus X|$ **then**

 add $X \cap Y$ to W

else add $Y \setminus X$ to W

end