

## Homework Assignment #5

**Due Time/Date**

This assignment is due 2:20PM Tuesday, April 13, 2021. Late submission will be penalized by 20% for each working day overdue.

**Note**

Please write or type your answers on A4 (or similar size) paper. Drop your homework by the due time in Yih-Kuen Tsay's mail box on the first floor of Management College Building 2, or put it on the instructor's desk before the class on the due date starts. You may discuss the problems with others, but copying answers is strictly forbidden.

**Problems**

(Note: problems marked with "Exercise X.XX" or "Problem X.XX" are taken from [Sipser 2006, 2013] with probable adaptation.)

1. (Exercise 2.1; 20 points) Consider the following CFG discussed in class, where for convenience the variables have been renamed with single letters.

$$\begin{aligned} E &\rightarrow E + T \mid T \\ T &\rightarrow T \times F \mid F \\ F &\rightarrow (E) \mid a \end{aligned}$$

Give (leftmost) derivations and the corresponding parse trees for the following strings.

- (a)  $(a + a) \times a$
  - (b)  $((a) + a)$
2. (Exercise 2.4; 20 points) Give context-free grammars that generate the following languages. In all parts the alphabet  $\Sigma$  is  $\{0, 1\}$ .
    - (a)  $\{w \mid \text{the length of } w \text{ is a multiple of } 3\}$
    - (b)  $\{w \mid w = w^R, \text{ that is, } w \text{ is a palindrome}\}$
  3. (Exercise 2.6b; 10 points) Give a context-free grammar that generates the complement of the language  $\{a^n b^n \mid n \geq 0\}$ .

4. (Exercise 2.8; 10 points) Show that the string “a girl touches the boy with a flower” has two different leftmost derivations in the following CFG.

⟨SENTENCE⟩	→	⟨NOUN-PHRASE⟩⟨VERB-PHRASE⟩
⟨NOUN-PHRASE⟩	→	⟨CMPLX-NOUN⟩
		⟨CMPLX-NOUN⟩⟨PREP-PHRASE⟩
⟨VERB-PHRASE⟩	→	⟨CMPLX-VERB⟩
		⟨CMPLX-VERB⟩⟨PREP-PHRASE⟩
⟨PREP-PHRASE⟩	→	⟨PREP⟩⟨CMPLX-NOUN⟩
⟨CMPLX-NOUN⟩	→	⟨ARTICLE⟩⟨NOUN⟩
⟨CMPLX-VERB⟩	→	⟨VERB⟩   ⟨VERB⟩⟨NOUN-PHRASE⟩
⟨ARTICLE⟩	→	a   the
⟨NOUN⟩	→	boy   girl   flower
⟨VERB⟩	→	touches   likes   sees
⟨PREP⟩	→	with

5. (Exercise 2.9; 20 points) Give a context-free grammar that generates the language

$$A = \{a^i b^j c^k \mid i = j \text{ or } j = k \text{ where } i, j, k \geq 0\}.$$

Is your grammar ambiguous? Why or why not?

6. (Exercise 2.14; 20 points) Convert the following CFG (where  $A$  is the start variable) into an equivalent CFG in Chomsky normal form, using the procedure given in Theorem 2.9.

$$\begin{aligned} A &\rightarrow BAB \mid B \mid \varepsilon \\ B &\rightarrow 0B1 \mid \varepsilon \end{aligned}$$