

Temporal Verification of Reactive Systems

(Based on Manna and Pnueli [1991,1995,1996])

Yih-Kuen Tsay

Dept. of Information Management
National Taiwan University



Computational vs. Reactive Programs

🌐 Computational (Transformational) Programs

☀️ Run to produce a final result on termination

☀️ An example:

```
[ local  $x$  : integer initially  $x = n$ ;  
   $y := 0$ ;  
  while  $x > 0$  do  
     $x, y := x - 1, y + 2x - 1$   
  od ]
```

☀️ Only the initial values and the (final) result are relevant to correctness



☀️ Can be specified by pre and post-conditions such as

👤 $\{n \geq 0\} y := ? \{y = n^2\}$ or

👤 $y : [n \geq 0, y = n^2]$


Computational vs. Reactive Programs (cont)

Reactive Programs

-  Maintaining an ongoing (typically not terminating) interaction with their environments
-  An example:

$s : \{0, 1\}$ initially $s = 1$

$$\left[\begin{array}{l} l_0 : \text{loop forever do} \\ \left[\begin{array}{l} l_1 : \text{remainder;} \\ l_2 : \text{request}(s); \\ l_3 : \text{critical;} \\ l_4 : \text{release}(s); \end{array} \right] \end{array} \right] \parallel \left[\begin{array}{l} m_0 : \text{loop forever do} \\ \left[\begin{array}{l} m_1 : \text{remainder;} \\ m_2 : \text{request}(s); \\ m_3 : \text{critical;} \\ m_4 : \text{release}(s); \end{array} \right] \end{array} \right]$$

-  Must be specified and verified in terms of their behaviors, including the intermediate states

The Framework

- 🌐 **Computational Model**: for providing an abstract syntactic base
 - ☀️ fair transition systems (FTS)
 - ☀️ fair discrete systems (FDS)
- 🌐 **Implementation Language**: for describing the actual implementation; will define syntax by examples; translated into FTS or FDS for verification
- 🌐 **Specification Language**: for specifying properties of a system; will use linear temporal logic (LTL)
- 🌐 **Verification Techniques**: for verifying that an implementation satisfies its specification
 - ☀️ algorithmic methods: state space exploration
 - ☀️ deductive methods: mathematical theorem proving



Three Kinds of Validity

- 🌐 **Assertional Validity**: validity of non-temporal formulae, i.e., state formulae, over an arbitrary state (valuation)
- 🌐 **General Temporal Validity**: validity of temporal formulae over arbitrary sequences of states
- 🌐 **Program Validity**: validity of a temporal formula over sequence of states that represent computations of the analyzed system



Variables

- 🌍 Three kinds of variables will be needed:
 - ☀️ Program (system) variables
 - ☀️ Primed version of program variables: for referring to the values of program variables in the next state when defining a state transition
 - ☀️ Specification variables: appearing only in formulae (but not in the program) that specify properties of a program
- 🌍 We assume that all these variables are drawn from a universal set of variables \mathcal{V} .
- 🌍 For every unprimed variable $x \in \mathcal{V}$, its primed version x' is also in \mathcal{V} .
- 🌍 Each variable has a type.



Assertions

- 🌐 For describing a system and its specification, we assume an **underlying first-order assertion language** over \mathcal{V} .
- 🌐 The language provides the following elements:
 - ☀️ **Expressions** (corresponding to first-order terms): variables, constants, and functions applied to expressions
 - ☀️ **Atomic formulae**: propositions or boolean variables and predicates applied to expressions
 - ☀️ **Assertions** or **state formulae** (corresponding to first-order formulae): atomic formulae, boolean connectives applied to formulae, and quantifiers applied to formulae



Fair Transition Systems

A **fair transition system (FTS)** \mathcal{P} is a tuple $\langle V, \Theta, \mathcal{T}, \mathcal{J}, \mathcal{C} \rangle$:

- 🌐 $V \subseteq \mathcal{V}$: a finite set of typed **state variables**, including *data* and *control* variables. A (type-respecting) valuation of V is called a **V -state** or simply **state**. The set of all V -states is denoted Σ_V .
- 🌐 Θ : the **initial condition**, an assertion characterizing the **initial states**.
- 🌐 \mathcal{T} : a set of **transitions**, including the *idling* transition. Each transition is associated with a **transition relation**, relating a state and its successor state(s).
- 🌐 $\mathcal{J} \subseteq \mathcal{T}$: a set of **just** (weakly fair) transitions.
- 🌐 $\mathcal{C} \subseteq \mathcal{T}$: a set of **compassionate** (strongly fair) transitions.



Transitions of an FTS

The transition relation of a transition $\tau \in \mathcal{T}$ is expressed as an assertion $\rho_\tau(V, V')$:

🌐 **Example:** $x = 1 \wedge x' = 0$.

For $s, s' \in \Sigma_V$, $\langle s, s' \rangle \models x = 1 \wedge x' = 0$ holds if the value of x is 1 in state s and the value of x is 0 in (the next) state s' .

🌐 τ -successor

☀️ State s' is a τ -*successor* of s if $\langle s, s' \rangle \models \rho_\tau(V, V')$

☀️ $\tau(s) \triangleq \{s' \mid s' \text{ is a } \tau\text{-successor of } s\}$.

🌐 enabledness of τ

☀️ $En(\tau) \triangleq (\exists V') \rho_\tau(V, V')$.

☀️ τ is enabled in a state if $En(\tau)$ holds in that state.

☀️ τ is enabled in state s iff s has some τ -successor.

Computations of an FTS

Given an FTS $\mathcal{P} = \langle V, \Theta, \mathcal{T}, \mathcal{J}, \mathcal{C} \rangle$, a computation of \mathcal{P} is an infinite sequence of states $\sigma : s_0, s_1, s_2, \dots$ satisfying:

- 🌐 **Initiation:** s_0 is an initial state, i.e., $s_0 \models \Theta$.
- 🌐 **Consecution:** for every $i \geq 0$, s_{i+1} is a τ -successor of state s_i , i.e., $\langle s_i, s_{i+1} \rangle \models \rho_\tau(V, V')$, for some $\tau \in \mathcal{T}$. In this case, we say that τ is *taken* at position i .
- 🌐 **Justice:** for every $\tau \in \mathcal{J}$, it is never the case that τ is continuously enabled, but never taken, from some point on.
- 🌐 **Compassion:** for every $\tau \in \mathcal{C}$, it is never the case that τ is enabled infinitely often, but never taken, from some point on.

The set of all computations of \mathcal{P} is denoted by $Comp(\mathcal{P})$.



An Example Program and Its FTS

🌐 Program ANY-Y:

$x, y : \text{natural}$ **initially** $x = y = 0$

$$\left[\begin{array}{l} l_0 : \text{while } x = 0 \text{ do} \\ \left[\begin{array}{l} l_1 : y := y + 1; \end{array} \right] \\ l_2 : \end{array} \right] \parallel \left[\begin{array}{l} m_0 : x := 1 \\ m_2 : \end{array} \right]$$

🌐 Informal description:

- ☀️ The program consists of an *asynchronous composition* of two processes.
- ☀️ One process continuously increments y as long as it finds x to be 0, while the other simply sets x to 1 (when it gets its turn to execute).
- ☀️ The executions of the program are all possible *interleavings* of the steps of the individual processes.



An Example Program and Its FTS (cont.)

🌐 Program ANY-Y as an FTS $\mathcal{P}_{\text{ANY-Y}} = \langle V, \Theta, \mathcal{T}, \mathcal{J}, \mathcal{C} \rangle$:

☀️ $V \triangleq \{x, y : \text{natural}, \pi_0 : \{l_0, l_1, l_2\}, \pi_1 : \{m_0, m_1\}\}$

☀️ $\Theta \triangleq \pi_0 = l_0 \wedge \pi_1 = m_0 \wedge x = y = 0$

☀️ $\mathcal{T} \triangleq \{\tau_I, \tau_{l_0}, \tau_{l_1}, \tau_{m_0}\}$, whose transition relations are

$$\rho_I : \pi'_0 = \pi_0 \wedge \pi'_1 = \pi_1 \wedge x' = x \wedge y' = y ,$$

$$\rho_{l_0} : \pi_0 = l_0 \wedge ((x = 0 \wedge \pi'_0 = l_1) \vee (x \neq 0 \wedge \pi'_0 = l_2)) \wedge \pi'_1 = \pi_1 \wedge x' = x \wedge y' = y ,$$

etc.

☀️ $\mathcal{J} \triangleq \{\tau_{l_0}, \tau_{l_1}, \tau_{m_0}\}$

☀️ $\mathcal{C} \triangleq \emptyset$

Program MUX

$Q_0, Q_1 : \text{bool}$ initially $Q_0 = Q_1 = \text{false}$

$T : \{0, 1\}$ initially $T = 0$

$P_0 ::$

$$\left[\begin{array}{l} l_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} l_1 : \text{remainder;} \\ l_2 : Q_0 := \text{true;} \\ l_3 : T := 0; \\ l_4 : \mathbf{await} \neg Q_1 \vee T \neq 0; \\ l_5 : \text{critical;} \\ l_6 : Q_0 := \text{false;} \end{array} \right] \end{array} \right]$$

$P_1 ::$

$$\left[\begin{array}{l} m_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} m_1 : \text{remainder;} \\ m_2 : Q_1 := \text{true;} \\ m_3 : T := 1; \\ m_4 : \mathbf{await} \neg Q_0 \vee T \neq 1; \\ m_5 : \text{critical;} \\ m_6 : Q_1 := \text{false;} \end{array} \right] \end{array} \right]$$

\parallel

Justice is sufficient in preventing individual starvation.



Strong Fairness (Compassion) Is Needed

- 🌐 Program MUX-SEM: mutual exclusion by a semaphore.

s : natural **initially** $s = 1$

$$\left[\begin{array}{l} l_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} l_1 : \text{remainder;} \\ l_2 : \text{request}(s); \\ l_3 : \text{critical;} \\ l_4 : \text{release}(s); \end{array} \right] \end{array} \right] \parallel \left[\begin{array}{l} m_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} m_1 : \text{remainder;} \\ m_2 : \text{request}(s); \\ m_3 : \text{critical;} \\ m_4 : \text{release}(s); \end{array} \right] \end{array} \right]$$

☀️ $\text{request}(s) \triangleq \langle \mathbf{await} \ s > 0 : s := s - 1 \rangle$

☀️ $\text{release}(s) \triangleq s := s + 1$

🌐 $\mathcal{C}: \{ \tau_{l_2}, \tau_{m_2} \}$

Linear Temporal Logic (LTL)

- 🌐 State formulae
 - Constructed from the underlying assertion language
- 🌐 Temporal formulae
 - ☀️ All state formulae are also temporal formulae.
 - ☀️ If p and q are temporal formulae and x a variable in \mathcal{V} , then the following are temporal formulae:
 - 👤 $\neg p, p \vee q, p \wedge q, p \rightarrow q, p \leftrightarrow q$
 - 👤 $\bigcirc p, \diamond p, \square p, p \mathcal{U} q, p \mathcal{W} q$
 - 👤 $\ominus p, \odot p, \blacklozenge p, \boxminus p, p \mathcal{S} q, p \mathcal{B} q$
 - 👤 $\exists x : p, \forall x : p$

Semantics of LTL

- Temporal formulae are interpreted over an infinite sequence of states, called a model, with respect to a position in that sequence.
- We will define the satisfaction relation $(\sigma, i) \models \varphi$ (or φ holds in (σ, i)), as the formal semantics of a temporal formula φ over an infinite sequence of states $\sigma = s_0, s_1, s_2, \dots, s_i, \dots$ and a position $i \geq 0$.
- A sequence σ *satisfies* a temporal formula φ , denoted $\sigma \models \varphi$, if $(\sigma, 0) \models \varphi$.
- Variables in \mathcal{V} are partitioned into *flexible* and *rigid* variables. A flexible variable may assume different values in different states, while a rigid variable must assume the same value in all states of a model.

Semantics of LTL (cont.)

- 🌐 For a state formula p :

$(\sigma, i) \models p \iff p$ holds at s_i .

- 🌐 Boolean combinations of formulae:

$(\sigma, i) \models \neg p \iff (\sigma, i) \models p$ does not hold.

$(\sigma, i) \models p \vee q \iff (\sigma, i) \models p$ or $(\sigma, i) \models q$.

$(\sigma, i) \models p \wedge q \iff (\sigma, i) \models p$ and $(\sigma, i) \models q$.

$(\sigma, i) \models p \rightarrow q \iff (\sigma, i) \models p$ implies $(\sigma, i) \models q$.

$(\sigma, i) \models p \leftrightarrow q \iff (\sigma, i) \models p$ if and only if $(\sigma, i) \models q$.

Alternatively, the latter three cases can be defined in

terms of \neg and \vee , namely $p \wedge q \stackrel{\Delta}{=} \neg(\neg p \vee \neg q)$,

$p \rightarrow q \stackrel{\Delta}{=} \neg p \vee q$, and $p \leftrightarrow q \stackrel{\Delta}{=} (p \rightarrow q) \wedge (q \rightarrow p)$.

Semantics of LTL: Future Operators

- 🌐 $\bigcirc p$ (next p):
 $(\sigma, i) \models \bigcirc p \iff (\sigma, i + 1) \models p.$
- 🌐 $\diamond p$ (eventually p or sometime p):
 $(\sigma, i) \models \diamond p \iff$ for some $k \geq i$, $(\sigma, k) \models p.$
- 🌐 $\square p$ (henceforth p or always p):
 $(\sigma, i) \models \square p \iff$ for every $k \geq i$, $(\sigma, k) \models p.$
- 🌐 $p \mathcal{U} q$ (p until q):
 $(\sigma, i) \models p \mathcal{U} q \iff$ for some $k \geq i$, $(\sigma, k) \models q$ and for every j **s.t.** $i \leq j < k$, $(\sigma, j) \models p.$
- 🌐 $p \mathcal{W} q$ (p wait-for q):
 $(\sigma, i) \models p \mathcal{W} q \iff$ for every $k \geq i$, $(\sigma, k) \models p$, or for some $k \geq i$, $(\sigma, k) \models q$ and for every j , $i \leq j < k$, $(\sigma, j) \models p.$

Semantics of LTL: Future Operators (cont.)

🌐 It can be shown that, for every σ and i ,

☀️ $(\sigma, i) \models \diamond p$ iff $(\sigma, i) \models \text{true } \mathcal{U} p$

☀️ $(\sigma, i) \models \square p$ iff $(\sigma, i) \models \neg \diamond \neg p$

☀️ $(\sigma, i) \models p \mathcal{W} q$ iff $(\sigma, i) \models \square p \vee p \mathcal{U} q$

🌐 So, one can also take \bigcirc and \mathcal{U} as the primitive operators and define others in terms of \bigcirc and \mathcal{U} :

☀️ $\diamond p \triangleq \text{true } \mathcal{U} p$

☀️ $\square p \triangleq \neg \diamond \neg p$

☀️ $p \mathcal{W} q \triangleq \square p \vee p \mathcal{U} q$

Semantics of LTL: Past Operators

🌐 $\ominus p$ (previous p):

$(\sigma, i) \models \ominus p \iff (i > 0) \text{ and } (\sigma, i - 1) \models p.$

🌐 $\odot p$ (before p):

$(\sigma, i) \models \odot p \iff (i > 0) \text{ implies } (\sigma, i - 1) \models p.$

🌐 $\diamond p$ (once p):

$(\sigma, i) \models \diamond p \iff \text{for some } k, 0 \leq k \leq i, (\sigma, k) \models p.$

🌐 $\boxplus p$ (so-far p):

$(\sigma, i) \models \boxplus p \iff \text{for every } k, 0 \leq k \leq i, (\sigma, k) \models p.$

🌐 $p \mathcal{S} q$ (p since q):

$(\sigma, i) \models p \mathcal{S} q \iff \text{for some } k, 0 \leq k \leq i, (\sigma, k) \models q \text{ and for every } j, k < j \leq i, (\sigma, j) \models p.$

Semantics of LTL: Past Operators (cont.)

🌐 $p \mathcal{B} q$ (p back-to q):

$(\sigma, i) \models p \mathcal{B} q \iff$ for every $k, 0 \leq k \leq i, (\sigma, k) \models p$, or for some $k, 0 \leq k \leq i, (\sigma, k) \models q$ and for every $j, k < j \leq i, (\sigma, j) \models p$.



Semantics of LTL: Past Operators (cont.)

🌐 It can be shown that, for every σ and i ,

☀️ $(\sigma, i) \models \ominus p$ iff $(\sigma, i) \models \neg \odot \neg p$

☀️ $(\sigma, i) \models \diamond p$ iff $(\sigma, i) \models \text{true } \mathcal{S} p$

☀️ $(\sigma, i) \models \Box p$ iff $(\sigma, i) \models \neg \diamond \neg p$

☀️ $(\sigma, i) \models p \mathcal{B} q$ iff $(\sigma, i) \models \Box p \vee p \mathcal{S} q$

🌐 So, one can also take \odot and \mathcal{S} as the primitive operators and define others in terms of \odot and \mathcal{S} :

☀️ $\ominus p \stackrel{\Delta}{=} \neg \odot \neg p$

☀️ $\diamond p \stackrel{\Delta}{=} \text{true } \mathcal{S} p$

☀️ $\Box p \stackrel{\Delta}{=} \neg \diamond \neg p$

☀️ $p \mathcal{B} q \stackrel{\Delta}{=} \Box p \vee p \mathcal{S} q$

Semantics of LTL: Quantifiers

A sequence σ' is called a *u-variant* of σ if σ' differs from σ in at most the interpretation given to u in each state.

🌐 $(\sigma, i) \models \exists u: \varphi \iff (\sigma', i) \models \varphi$ for some *u-variant* σ' of σ .

🌐 $(\sigma, i) \models \forall u: \varphi \iff (\sigma', i) \models \varphi$ for every *u-variant* σ' of σ .

Alternatively, $\forall u: \varphi \triangleq \neg(\exists u: \neg\varphi)$.

These definitions apply to both flexible and rigid variables.

Some LTL Conventions

- 🌐 Let *first* abbreviate $\odot false$, which holds only at position 0; *first* means “this is the first state”.
- 🌐 We use u^- to denote the previous value of u ; by convention, u^- equals u at position 0.
 - ☀️ Example: $x = x^- + 1$.
 - ☀️ In pure LTL,
 $(first \wedge x = x + 1) \vee (\neg first \wedge \forall u: \ominus(x = u) \rightarrow x = u + 1)$.
- 🌐 We use u^+ (or u') to denote the next value of u , i.e., the value of u at the next position.
 - ☀️ Example: $x^+ = x + 1$.
 - ☀️ In pure LTL, $\forall u: x = u \rightarrow \bigcirc(x = u + 1)$.
- 🌐 These previous and next-value notations also apply to expressions.



Validity

- 🌐 A state formula is *state valid* if it holds in every state.
- 🌐 A temporal formula p is (temporally) *valid*, denoted $\models p$, if it holds in every model.
- 🌐 A state formula is *P-state valid* if it holds in every P -accessible state (i.e., every state that appears in some computation of P).
- 🌐 A temporal formula p is *P-valid*, denoted $P \models p$, if it holds in every computation of P .

Equivalence and Congruence

- 🌐 Two formulae p and q are *equivalent* if $p \leftrightarrow q$ is valid.
Example: $p \mathcal{W} q \leftrightarrow \Box(\Diamond\neg p \rightarrow \Diamond q)$.
- 🌐 Two formulae p and q are *congruent* if $\Box(p \leftrightarrow q)$ is valid.
Example: $\neg\Diamond p$ and $\Box\neg p$ are congruent, as $\Box(\neg\Diamond p \leftrightarrow \Box\neg p)$ is valid.
- 🌐 Two congruent formulae may replace each other in any context.

A Hierarchy of Temporal Properties

🌐 Classes of temporal properties; p, q, p_i, q_i below are arbitrary past temporal formulae

☀️ Safety properties: $\Box p$

☀️ Guarantee properties: $\Diamond p$

☀️ Obligation properties: $\bigwedge_{i=1}^n (\Box p_i \vee \Diamond q_i)$

☀️ Response properties: $\Box \Diamond p$

☀️ Persistence properties: $\Diamond \Box p$

☀️ Reactivity properties: $\bigwedge_{i=1}^n (\Box \Diamond p_i \vee \Diamond \Box q_i)$

🌐 The hierarchy

Safety \subseteq Obligation \subseteq Response \subseteq Reactivity
Guarantee \subseteq Persistence \subseteq

🌐 Every temporal formula is equivalent to some reactivity formula.

More Common Temporal Properties

- 🌐 Safety properties: $\Box p$
Example: $p \mathcal{W} q$ is a safety property, as it is equivalent to $\Box(\Diamond \neg p \rightarrow \Diamond q)$.
- 🌐 Response properties
 - ☀️ Canonical form: $\Box \Diamond p$
 - ☀️ Variant: $\Box(p \rightarrow \Diamond q)$ (p leads-to q), which is equivalent to $\Box \Diamond(\neg p \mathcal{B} q)$.
- 🌐 Reactivity properties: $\bigwedge_{i=1}^n (\Box \Diamond p_i \vee \Diamond \Box q_i)$
- 🌐 (Simple) reactivity properties
 - ☀️ Canonical form: $\Box \Diamond p \vee \Diamond \Box q$
 - ☀️ Variants: $\Box \Diamond p \rightarrow \Box \Diamond q$ **or** $\Box(\Box \Diamond p \rightarrow \Diamond q)$, which is equivalent to $\Box \Diamond q \vee \Diamond \Box \neg p$.
 - ☀️ Extended form: $\Box((p \wedge \Box \Diamond r) \rightarrow \Diamond q)$

Rules for Safety Properties

Rule INV

$$\text{I1. } \Theta \rightarrow \varphi$$

$$\text{I2. } \varphi \rightarrow q$$

$$\text{I3. } \frac{\{\varphi\} \mathcal{T} \{\varphi\}}{\square q}$$

where $\{p\} \mathcal{T} \{q\}$ means $\{p\} \tau \{q\}$ (i.e., $\rho_\tau \wedge p \rightarrow q'$) for every $\tau \in \mathcal{T}$

- 🌐 The auxiliary assertion φ is called an *inductive invariant*, as it holds initially and is preserved by every transition.
- 🌐 This rule is sound and (relatively) complete for establishing P -validity of the future safety formula $\square q$ (where q is a state formula).

A Safety Property of Program MUX-SEM

- 🌐 Mutual exclusion: $\square(\neg(\pi_0 = l_3 \wedge \pi_1 = m_3))$, which is not inductive.
- 🌐 The inductive φ needed:

$$y \geq 0 \wedge (\pi_0 = l_3) + (\pi_0 = l_4) + (\pi_1 = m_3) + (\pi_1 = m_4) + y = 1$$

where *true* and *false* are equated respectively with 1 and 0.

Rules for Response Properties

Rule J-RESP (for a just transition $\tau \in \mathcal{J}$)

$$\text{J1. } \Box(p \rightarrow (q \vee \varphi))$$

$$\text{J2. } \{\varphi\} \mathcal{T} \{q \vee \varphi\}$$

$$\text{J3. } \{\varphi\} \tau \{q\}$$

$$\text{J4. } \Box(\varphi \rightarrow (q \vee \text{En}(\tau)))$$

$$\Box(p \rightarrow \Diamond q)$$

This is a “one-step” rule that relies on a helpful just transition.



Rules for Response Properties (cont.)

Analogously, there is a one-step rule that relies on a helpful compassionate transition.

Rule C-RESP (for a compassionate transition $\tau \in \mathcal{C}$)

$$\text{C1. } \Box(p \rightarrow (q \vee \varphi))$$

$$\text{C2. } \{\varphi\} \mathcal{T} \{q \vee \varphi\}$$

$$\text{C3. } \{\varphi\} \tau \{q\}$$

$$\text{C4. } \mathcal{T} - \{\tau\} \vdash \Box(\varphi \rightarrow \Diamond(q \vee \text{En}(\tau)))$$

$$\Box(p \rightarrow \Diamond q)$$

Premise C4 states that the proof obligation should be carried out for a smaller program with $\mathcal{T} - \{\tau\}$ as the set of transitions.

Rules for Response Properties (cont.)

Rule M-RESP (monotonicity) and Rule T-RESP (transitivity)

$$\frac{\begin{array}{l} \Box(p \rightarrow r), \Box(t \rightarrow q) \\ \Box(r \rightarrow \Diamond t) \end{array}}{\Box(p \rightarrow \Diamond q)} \qquad \frac{\begin{array}{l} \Box(p \rightarrow \Diamond r) \\ \Box(r \rightarrow \Diamond q) \end{array}}{\Box(p \rightarrow \Diamond q)}$$

These rules belong to the part for proving general temporal validity. They are convenient, but not necessary when we have a relatively complete rule that reduce program validity directly to assertional validity.

Rules for Response Properties (cont.)

A *ranking function* maps finite sequences of states into a well-founded set.

Rule W-RESP (with a ranking function δ)

$$W1. \quad \Box(p \rightarrow (q \vee \varphi))$$

$$W2. \quad \Box([\varphi \wedge (\delta = \alpha)] \rightarrow \Diamond[q \vee (\varphi \wedge \delta < \alpha)])$$

$$\Box(p \rightarrow \Diamond q)$$

Rules for Response Properties (cont.)

Let $\mathcal{T} = \{\tau_1, \dots, \tau_n\}$. φ denotes $\varphi_1 \vee \varphi_2 \vee \dots \vee \varphi_n$ and δ is a ranking function.

Rule F-RESP

$$\text{F1. } \Box(p \rightarrow (q \vee \varphi))$$

for $i = 1, \dots, m$

$$\text{F2. } \{\varphi_i \wedge (\delta = \alpha)\} \mathcal{T} \{q \vee (\varphi \wedge (\delta < \alpha)) \vee (\varphi_i \wedge (\delta \preceq \alpha))\}$$

$$\text{F3. } \{\varphi_i \wedge (\delta = \alpha)\} \tau_i \{q \vee (\varphi \wedge (\delta < \alpha))\}$$

$$\text{J4. } \Box(\varphi_i \rightarrow (q \vee \text{En}(\tau_i))), \text{ if } \tau_i \in \mathcal{J}$$

$$\text{C4. } \mathcal{T} - \{\tau_i\} \vdash \Box(\varphi_i \rightarrow \Diamond(q \vee \text{En}(\tau_i))), \text{ if } \tau_i \in \mathcal{C}$$

$$\Box(p \rightarrow \Diamond q)$$

Rule F-RESP is (relatively) complete for proving the \mathcal{P} -validity of any response formula of the form $\Box(p \rightarrow \Diamond q)$.

Rules for Reactivity Properties

Rule B-REAC

$$\text{B1. } \Box(p \rightarrow (q \vee \varphi))$$

$$\text{B2. } \{\varphi \wedge (\delta = \alpha)\} \mathcal{T} \{q \vee (\varphi \wedge (\delta \preceq \alpha))\}$$

$$\text{B3. } \Box([\varphi \wedge (\delta = \alpha) \wedge r] \rightarrow \Diamond[q \vee (\delta \prec \alpha)])$$

$$\Box((p \wedge \Box\Diamond r) \rightarrow \Diamond q)$$

For programs without compassionate transitions, Rule B-REAC is (relatively) complete for proving the \mathcal{P} -validity of any (simple, extended) reactivity formula of the form

$$\Box((p \wedge \Box\Diamond r) \rightarrow \Diamond q).$$



Fair Discrete Systems (cont.)

- 🌐 An FDS \mathcal{D} is a tuple $\langle V, \Theta, \rho, \mathcal{J}, \mathcal{C} \rangle$:
 - ☀️ $V \subseteq \mathcal{V}$: A finite set of typed **state variables**, containing *data* and *control* variables.
 - ☀️ Θ : The initial condition, an assertion characterizing the initial states.
 - ☀️ ρ : The transition relation, an assertion relating the values of the state variables in a state to the values in the next state.
 - ☀️ $\mathcal{J} = \{J_1, \dots, J_k\}$: A set of justice requirements (weak fairness).
 - ☀️ $\mathcal{C} = \{\langle p_1, q_1 \rangle, \dots, \langle p_n, q_n \rangle\}$: A set of compassion requirements (strong fairness).

Fair Discrete Systems (cont.)

- 🌐 So, FDS is a slight variation of the model of fair transition system.
- 🌐 The main difference between the FDS and FTS models is in the representation of fairness constraints.
- 🌐 FDS enables a unified representation of fairness constraints arising from both the system being verified, and the temporal property.
- 🌐 A computation of \mathcal{D} is an infinite sequence of states $\sigma = s_0, s_1, s_2, \dots$ satisfying *Initiation*, *Consecution*, *Justice*, and *Compassion* conditions.

Program MUX-SEM as an FDS

- 🌐 Program MUX-SEM: mutual exclusion by a semaphore.

s : natural **initially** $s = 1$

$$\left[\begin{array}{l} l_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} l_1 : \text{remainder;} \\ l_2 : \text{request}(s); \\ l_3 : \text{critical;} \\ l_4 : \text{release}(s); \end{array} \right] \end{array} \right] \parallel \left[\begin{array}{l} m_0 : \mathbf{loop\ forever\ do} \\ \left[\begin{array}{l} m_1 : \text{remainder;} \\ m_2 : \text{request}(s); \\ m_3 : \text{critical;} \\ m_4 : \text{release}(s); \end{array} \right] \end{array} \right]$$

☀️ $\text{request}(s) \triangleq \langle \mathbf{await} \ s > 0 : s := s - 1 \rangle$

☀️ $\text{release}(s) \triangleq s := s + 1$

- 🌐 $\mathcal{C}: \{ (at_l_2 \wedge s > 0, at_l_3), (at_m_2 \wedge s > 0, at_m_3) \}$